

# A Faster 4-Approximation Algorithm for the Unit Disk Cover Problem

Ahmad Biniiaz\*

Paul Liu†

Anil Maheshwari\*

Michiel Smid\*

## Abstract

Given a set  $P$  of  $n$  points in the plane, we consider the problem of covering  $P$  with a minimum number of unit disks. This problem is known to be NP-hard. We present a simple 4-approximation algorithm for this problem which runs in  $O(n \log n)$ -time and uses the plane-sweep technique. Previous algorithms that achieve the same approximation ratio have a higher time complexity. We also show how to extend this algorithm to other metrics, and to three dimensions.

## 1 Introduction

In this paper we consider the *unit disk cover* (UDC) problem. Given a set  $P$  of  $n$  points in the plane, the UDC problem asks for the minimum number of disks of prescribed radius  $r$  (or simply unit disks of radius 1), which cover all points of  $P$ . Unless otherwise specified, we assume that the disks are in the  $L_2$ -norm. This problem is motivated by VLSI design, facility location, and motion planning.

The UDC problem is known to be NP-hard in the  $L_1$ ,  $L_2$ , and  $L_\infty$  norms [7]. For points in  $\mathbb{R}^d$  and any integer  $l \geq 1$ , it is possible to approximate the UDC problem in the  $L_2$ -norm within a factor of  $(1 + \frac{1}{l})^d$  with running time  $(dl)^{O(d)} n^{O((dl)^d)}$  [11] and within a factor of  $2(1 + \frac{1}{l})^{d-1}$  with running time  $(dl)^{O(d)} n^{O(d^d)}$  [10]. For points under the  $L_1$  and  $L_\infty$  norms, similar ideas lead to a  $(1 + \frac{1}{l})^d$  approximation algorithm with running time  $l^d n^{2l^d+1}$  [11] and a  $(1 + \frac{1}{l})^{d-1}$  approximation algorithm with running time  $dl^{O(d-1)} n^{O(d^{d-1})}$  [10]. However, these algorithms are mainly of theoretical interest, and are impractical for large data sets.

Gonzalez [10] presented a 2-approximation algorithm for the UDC problem in the  $L_1$  and  $L_\infty$  norms and an 8-approximation in the  $L_2$ -norm. These algorithms run in  $O(n \log S)$ -time, where  $S \leq n$  is the number of disks in an optimal solution. A constant approximation algorithm running in  $O(n^3 \log n)$ -time is also presented in [4]. The algorithm uses the fact that the UDC problem is equivalent to a set cover in a range space of finite

VC dimension. However, no efforts were made to optimize or determine the exact value of the approximation factor. By constraining the disk centers to lie on a grid, Franceschetti et al. [8] developed, for any  $l \geq 1$ , an  $O(Kn)$  time algorithm with approximation factor  $3(1 + \frac{1}{l})^2$ , where  $K$  is a function of  $l$  and the size of the approximation grid. A 2.8334-approximation algorithm which runs in  $O(n(\log n \log \log n)^2)$ -time is presented in [9]. We note that this algorithm is quite difficult to implement, and has a high constant factor in the running time. Using a different approach of dividing the input into vertical strips, Liu and Lu [12] presented a  $\frac{25}{6}$ -approximation algorithm for this problem running in  $O(n \log n)$  time. A listing of all the algorithms as well as their approximation factors is given in Table 1.

Reference	Approximation	Running Time
[10]	$2(1 + \frac{1}{l})$	$O(l^2 n^7)$
[10]	8	$O(n \log S)$
[4]	$O(1)$	$O(n^3 \log n)$
[8]	$3(1 + \frac{1}{l})^2$	$O(Kn)$
[9]	2.8334	$O(n(\log n \log \log n)^2)$
[12]	25/6	$O(n \log n)$
This paper	4	$O(n \log n)$

Table 1: A history of approximation algorithms for the unit disk cover problem in  $L_2$ .

There are numerous variants of the UDC problem. If the disk centers are constrained to an arbitrary point set  $Q$ , the UDC problem becomes the discrete unit disk cover problem (DUDC), which is also NP-hard. Many approximation algorithms are proposed for the DUDC problem, where the best known approximation factor is  $9 + \epsilon$  for any  $0 < \epsilon \leq 6$  [2]. An instance of the UDC problem can be reduced to an instance of the DUDC problem as follows. Any solution for the UDC problem can be transformed so that each unit disk  $D$  has at least 2 input points on its boundary or an input point on its center; in the former case the center of  $D$  can be computed easily. Since each disk has unit radius, any pair of input points defines at most two possible centers for disks in our cover. Hence by choosing  $Q$  to be the union of  $P$  and these  $O(n^2)$  centers, an instance of the DUDC problem is obtained. Thus, any approximation algorithm for the DUDC problem gives a solution for the UDC problem with the same approximation factor.

In the  $L_\infty$ -norm, the UDC problem further reduces to

\*School of Computer Science, Carleton University, Ottawa, Canada. Research supported by NSERC.

†Department of Computer Science, University of British Columbia.

the minimum clique cover problem [6]. The reduction uses the  $L_t$  unit disk graph on  $P$ . Each point in  $P$  corresponds to a vertex in the graph, and every edge  $(u, v)$  in the graph corresponds to intersecting  $L_t$  unit discs centered at  $u$  and  $v$ . Any family  $F$  of unit squares ( $L_\infty$  unit disks) satisfies Helly's property: if each pair of squares in  $F$  has a non-empty intersection, then the intersection of all squares in  $F$  is non-empty. Hence any clique in the  $L_\infty$  unit disc graph can be covered by a single  $L_\infty$  unit disc. Unfortunately, this reduction does not hold in the  $L_2$ -norm. The minimum clique cover problem on both the  $L_\infty$  and  $L_2$  unit disk graphs has a large body of work, see [6] and the references contained therein.

We present an  $O(n \log n)$ -time constant-ratio approximation algorithm for the UDC problem in  $L_t$ -norms. In Section 2, we present a 4-approximation algorithm for this problem in the Euclidean norm ( $L_2$ -norm). By using the plane sweep technique, we show in Section 3 that this algorithm can be implemented to run in  $O(n \log n)$  time. We emphasize that this algorithm is usable in practical settings and simple to implement. The most costly step is sorting of the points with respect to some dimension. In Section 4, we extend this algorithm to other  $L_t$ -norms. It is a 2-approximation for  $t \in \{1, \infty\}$ , a 6-approximation for  $t > 2$ , and a 5-approximation for  $1 < t < 2$ . Concluding remarks and extension to three dimensions are presented in Section 5.

## 2 A 4-Approximation Algorithm in $L_2$

In this section we consider the UDC problem in the Euclidean norm. Given a point set  $P$  in the plane, let  $C_{opt}$  be an optimal unit disk cover for  $P$ . Recall that the unit disks have radius 1. The *unit disk intersection graph*,  $UDIG(P)$ , is defined to have the points of  $P$  as its vertices and has a straight-line edge between two points  $p, q \in P$  if and only if  $|pq| \leq 2$ , where  $|pq|$  is the Euclidean distance between  $p$  and  $q$ . We begin with the following observation:

**Observation 1** *For two points  $p, q \in P$ , if  $(p, q) \notin UDIG(P)$ , then  $p$  and  $q$  cannot be covered by a unit disk.*

An *independent set* in  $UDIG(P)$  is a subset  $I$  of  $P$  such that there is no edge between any pair of points in  $I$ .  $I$  is said to be a *maximal independent set* if for all  $p \in P \setminus I$ ,  $I \cup \{p\}$  is not an independent set in  $UDIG(P)$ . A maximal independent set in  $UDIG(P)$  can easily be found by a greedy algorithm.

Assume  $I$  is a maximal independent set in  $UDIG(P)$ . By Observation 1, the size of any independent set in  $UDIG(P)$  is a lower bound for the number of disks needed to cover  $P$ . Therefore,

$$|I| \leq |C_{opt}|. \quad (1)$$

It is known that to cover a disk of radius 2, seven unit disks of radius 1 are necessary and sufficient; see Figure 1. Moreover, to cover a ball of radius 2 in three dimension, 21 unit balls are necessary and sufficient [1]. Based on that, a 7-approximation algorithm for the UDC problem is obtained as follows. Let  $I$  be any maximal independent set in  $UDIG(P)$ . For a point  $p \in I$ , let  $D(p, 2)$  be the disk of radius 2 which is centered at  $p$ . Let  $d(p)$  be a disk in any unit disk cover which covers  $p$ . By Observation 1, none of the points of  $P$  which are at distance greater than 2 from  $p$  can be covered by  $d(p)$ . Therefore, all points of  $P$  which are not in  $D(p, 2)$  must be covered by disks different from  $d(p)$ . Moreover, all points of  $P$  which are covered by  $d(p)$  are in  $D(p, 2)$ . Therefore, by covering  $D(p, 2)$  with seven unit disks (Figure 1), for all  $p \in I$ , a 7-approximation algorithm is obtained. Note that  $UDIG(P)$  may have up to  $O(n^2)$  edges, and hence the time complexity of computing  $UDIG(P)$  is quadratic in the worst case.




Figure 1:  $D(p, 2)$  can be covered by 7 unit disks.

Now we show how to reduce the approximation ratio to 4. Let  $p$  be the leftmost point in  $P$ . In case of degeneracy, we consider the leftmost point with the smallest  $y$ -coordinate. Let  $\ell$  be the vertical line passing through  $p$ . Let  $R(p)$  be the intersection of  $D(p, 2)$  with the half-plane to the right of  $\ell$ , i.e.,  $R(p)$  is the right half-disk of  $D(p, 2)$  (see Figure 2(a)). As discussed earlier, all points of  $P$  which are covered by  $d(p)$  are in  $D(p, 2)$  and consequently in  $R(p)$ . As shown in Figure 2(a),  $R(p)$  can be covered by 4 unit disks. Figure 2(b) shows a configuration of seven points in  $R(p)$  such that at least four unit disks are needed to cover all these seven points: in any unit disk cover, the disk which covers  $p$  can cover at most one of the points on the boundary. The remaining five points need at least three unit disks to be covered.

For a point  $p$  and a given point set  $I$ , the *distance*,  $d(p, I)$ , between  $p$  and  $I$  is defined as the minimum Euclidean distance between  $p$  and any point in  $I$ , i.e.,




Figure 2: (a) Any half-disk of radius 2 can be covered by four unit disks. (b) Seven points in a half-disk of radius 2 which cannot be covered by less than four unit disks.

$d(p, I) = \min\{|pq| : q \in I\}$ . If  $I = \emptyset$ , then  $d(p, I) = \infty$ . Our 4-approximation algorithm is given in Algorithm 1. The output of this algorithm is a set  $C$  of unit disks that cover  $P$ . The algorithm starts by creating a sorted list of points from left to right. Then it repeatedly selects and deletes the first element in the list, say  $p$ . If  $d(p, I) \leq 2$ , then  $p$  is already covered by some disk in  $C$ . Otherwise, i.e., if  $d(p, I) > 2$ , the algorithm covers  $R(p)$  by four unit disks, and adds them to  $C$ . Finally it returns the set  $C$  of unit disks.

---

**Algorithm 1** UNITDISKCOVER( $P$ )
 

---

**Input:** A point set  $P$  in the plane.

**Output:** A set  $C$  of unit disks that cover  $P$ .

```

1:  $C \leftarrow \emptyset$ 
2:  $I \leftarrow \emptyset$ 
3:  $L \leftarrow$  list of points in  $P$  sorted from left to right
4: while  $L$  is not empty do
5:    $p \leftarrow$  first element of  $L$ 
6:   if  $d(p, I) > 2$  then
7:     Cover  $R(p)$  by four unit disks  $c_1, c_2, c_3, c_4$ 
8:      $C \leftarrow C \cup \{c_1, c_2, c_3, c_4\}$ 
9:      $I \leftarrow I \cup \{p\}$ 
10:   $L \leftarrow L - \{p\}$ 
11: return  $C$ 
    
```

---

In each iteration, Algorithm 1, adds  $p$  to  $I$  if and only if  $d(p, I) > 2$ . Thus, in  $\text{UDIG}(P)$ ,  $p$  is not connected to any point in  $I$ . Therefore,  $I$  is an independent set in  $\text{UDIG}(P)$ . In addition, the while loop iterates over all points. Thus, after Algorithm 1 terminates,  $I$  is a maximal independent set in  $\text{UDIG}(P)$ .

**Theorem 1** Algorithm 1 is a 4-approximation for the unit disk cover problem.

**Proof.** Consider the set  $I$  of points and the set  $C$  of unit disks after the termination of Algorithm 1. Since  $I$  is a maximal independent set in  $\text{UDIG}(P)$ , by Inequality (1) we have  $|I| \leq |C_{opt}|$ . Each point  $q \in P$  is in a half-disk  $R(p)$ , for some  $p \in I$  (possibly  $q = p$ ). Since for each  $p \in I$ , we cover  $R(p)$  with four unit disks,  $C$  covers  $P$ . Moreover,  $|C| \leq 4|I| \leq 4|C_{opt}|$ . This proves the statement of the theorem.  $\square$

The running time of Algorithm 1, can be expressed as  $O(n \log n + n \cdot t(d))$ , where  $t(d)$  is the time for computing  $d(p, I)$ . Any nearest-neighbor data structure is sufficient here, and only insertions and queries are needed. As the nearest-neighbor problem is a decomposable search problem, the general techniques of Bentley and Saxe [3] gives an  $O(\log^2 n)$ -amortized time bound for both insertions and queries, and uses only  $O(n)$ -space. Using this data structure,  $d(p, I)$  can be computed in  $O(\log^2 n)$ -amortized time, and hence Algorithm 1 can be implemented to run in  $O(n \log^2 n)$ -time.

### 3 Improving the Time Complexity

Instead of computing  $d(p, I)$  dynamically, we can speed up Algorithm 1 by taking advantage of the fact that we only need to check if  $d(p, I)$  is greater than 2. Every time we add a new point  $p$  to  $I$  in Algorithm 1, we are essentially removing every point in  $P$  lying in  $R(p)$ . We can do this in  $O(n \log n)$ -time with a simple sweep-line algorithm.

We sweep a vertical line from left to right and maintain a binary search tree (BST) storing the centers of all the half-disks intersecting the sweep line. The points in BST are sorted in non-decreasing order of their  $y$ -coordinates. In case of ties, we sort them in increasing order of their  $x$ -coordinates. Since all half-disks have radius 2, they are uniquely defined by their centers which are stored in BST. Initially BST is empty.

We also keep an event queue that stores two types of events: *site events* and *deletion events*. A site event is a point of  $P$ . Each deletion event is associated with a site event; for each point  $p \in P$  its deletion event is the rightmost point of  $R(p)$ . Thus, for every point  $p = (p_x, p_y)$  in  $P$ , we have a deletion event  $p' = (p_x + 2, p_y)$ . The event queue is kept as a priority queue sorted by the  $x$ -coordinates of the events. Initially we add to the event queue each point  $p \in P$  as a site event and  $p'$  as a deletion event. At each step of the sweep algorithm, we pop the event with the smallest  $x$ -coordinate from the queue, and “move” the sweep-line to that point.

Deletion events are straight-forward to handle, as we remove the center of the half-disk—which corresponds to this event—from BST.

Now we describe how to handle site events. Let  $p$  be the current site event which is encountered by the sweep-line  $SL$ . If  $p$  is covered by a half-disk in BST, then we proceed to the next event. If  $p$  is not covered by any half-disk in BST, then we insert a new half-disk (its center) into BST. Since the half-disks in BST have radius 2, we have the following observation:

**Observation 2** *The distance between any two points in BST is more than 2.*

Note that the half-disks corresponding to the points to the left of  $SL$  which are not in BST do not intersect  $SL$ . Therefore, these points have distance bigger than 2 from  $SL$ , and  $p$  cannot be covered by their half-disks.

In order to check if  $p$  is covered by any half-disk intersecting the sweep-line we do the following. We search for  $p$  in BST by its  $y$ -coordinate. Let  $p^-$  and  $p^+$  be the predecessor and the successor of  $p$  in BST, respectively. In other words,  $p^-$  is the point in BST with the largest  $y$ -coordinate and  $p^+$  is the point in BST with the smallest  $y$ -coordinate such that  $p_y^- < p_y < p_y^+$ . If  $|pp^-| \leq 2$  (or  $|pp^+| \leq 2$ ), then  $p$  is covered by  $R(p^-)$  (or  $R(p^+)$ ). However, this may not be the only case to decide if  $p$  is covered by a half-disk in BST. As shown in Figure 3(a),  $p$  is covered by a half-disk which is neither  $R(p^-)$  nor  $R(p^+)$ .




Figure 3: (a)  $p$  is covered by a half-disk other than  $R(p^-)$  and  $R(p^+)$ . (b) Proof of Lemma 2

Let  $p^{--}$  be the predecessor of  $p^-$  and  $p^{++}$  be the successor of  $p^+$  in BST.

**Lemma 2** *If  $p$  is covered by any half-disk intersecting the sweep line, then  $p \in R(p^{--}) \cup R(p^-) \cup R(p^+) \cup R(p^{++})$ .*

**Proof.** The proof is by contradiction. Assume  $p$  is covered by a half-disk  $R(q)$  which is centered at a point  $q$  in BST while  $p \notin R(p^{--}) \cup R(p^-) \cup R(p^+) \cup R(p^{++})$ . Without loss of generality assume  $q_y \geq p_y$ . Since  $p^+$  is the successor of  $p$  and  $p^{++}$  is the successor of  $p^+$  in BST, we have  $q_y \geq p_y^{++}$ . Let  $l$  be the vertical line which is at distance 2 from  $p$  and to the left of the sweep line  $SL$ ; see Figure 3(b). All points in BST (including  $p^+$ ,  $p^{++}$ , and  $q$ ) lie between (or on)  $l$  and  $SL$ .

Let  $p'$  be the intersection point of  $l$  and the horizontal line passing through  $p$ . Let  $q'$  (resp.  $q''$ ) be the intersection point of  $l$  (resp.  $SL$ ) and the horizontal line passing through  $q$ . See Figure 3(b). Let  $R$  be the rectangle having its corners on  $p$ ,  $p'$ ,  $q'$  and  $q''$ . Observe that the maximum side length for  $R$  is 2.

Since  $p_y \leq p_y^+ \leq p_y^{++} \leq q_y$ ,  $p^+$  and  $p^{++}$  lie in  $R$ . Consider  $D(p, 2)$  and  $D(q, 2)$ . Since  $p \in R(q)$ ,  $|pq| \leq 2$ ; this implies that  $p, q \in D(p, 2) \cap D(q, 2)$ . By Observation 2, both  $p^+$  and  $p^{++}$  are outside  $D(q, 2)$ . In addition,  $p$  is to the right of  $p^+$  and to the right of  $p^{++}$  and  $p \notin R(p^+) \cup R(p^{++})$ , which implies that both  $p^+$  and  $p^{++}$  are outside  $D(p, 2)$ . Therefore  $p^+$  and  $p^{++}$  lie in region  $Q = R - (D(p, 2) \cup D(q, 2))$ ; the blue region in Figure 3(b). Let  $c$  be the intersection point of the two diagonals of  $R$ . The triangle  $\Delta pq'q''$  is a subset of  $D(q, 2)$  and the triangle  $\Delta pp'q''$  is a subset of  $D(p, 2)$ . Thus,  $Q$  is a subset of the triangle  $\Delta cp'q'$ .  $\Delta cp'q'$  has diameter at most 2. Thus, the distance between any two points in  $Q$  is at most 2. Therefore,  $|p^+p^{++}| \leq 2$ ; which contradicts Observation 2.  $\square$

Given a site event  $p$ , in  $O(\log n)$ -time we can find  $p^{--}$ ,  $p^-$ ,  $p^+$ , and  $p^{++}$  in BST. In order to check if  $p$  is in the coverage of any point in BST, by Lemma 2, it is enough to check if the distance of  $p$  to  $p^{--}$ ,  $p^-$ ,  $p^+$ , or  $p^{++}$  is at most 2. Therefore, each site event can be handled in  $O(\log n)$ -time; each deletion event can be handled in  $O(\log n)$ -time as well. Since we have  $2n$  events, we conclude that Algorithm 1 can be implemented to run in  $O(n \log n)$ -time and  $O(n)$ -space.

## 4 Extensions to Other Metrics

In this section we consider the unit disk cover problem for a point set  $P$  in the  $L_t$ -norm, for  $t \geq 1$ . We show how to extend Algorithm 1 to a constant-approximation algorithm. In the  $L_t$ -norm, a unit circle which is centered at the origin is expressed by the equation

$$|x|^t + |y|^t = 1.$$

Figure 4 shows the unit circles in different  $L_t$ -norms. We refer to the union of a unit circle in the  $L_t$ -norm and its interior as an  $L_t$ -unit disk.

**Observation 3** *For any  $t$  and  $t'$ , with  $1 \leq t < t' \leq \infty$ , the  $L_t$ -unit disk which is centered at the origin is*




Figure 4: Illustration of unit circles in different  $L_t$ -norms.

contained in the  $L_t$ -unit disk which is centered at the origin.

Let  $D_t(p, 2)$  be the  $L_t$ -unit disk which is centered at point  $p$  and scaled by a factor of 2. Observe that any  $L_t$ -unit disk which covers  $p$ , does not cover any point outside  $D_t(p, 2)$ . Let  $R_t(p)$  be the right half-disk of  $D_t(p, 2)$ . By Observation 3,  $R_t(p)$  is contained in  $R_\infty(p)$ .

#### 4.1 $L_t$ for $t \geq 2$

Assume  $t \geq 2$ . As shown in Figure 5(a),  $R_\infty(p)$  can be covered by six  $L_2$ -unit disks. Since  $R_t(p) \subseteq R_\infty(p)$ ,  $R_t(p)$  can also be covered by six  $L_2$ -unit disks. By Observation 3, any  $L_2$ -unit disk is contained in an  $L_t$ -unit disk. Thus,  $R_t(p)$  also can be covered by six  $L_t$ -unit disks. Therefore, a modified version of Algorithm 1 gives an  $L_t$ -unit disk cover  $C$  for  $P$  such that  $|C| \leq 6|C_{opt}|$ .




Figure 5: (a)  $R_\infty(p)$  which is covered by six  $L_2$ -unit disks. (b)  $R_2(p)$  which is covered by five  $L_1$ -unit-disks.

Since an  $L_t$ -unit disk contains an  $L_2$ -unit disk, Lemma 2 can be extended to the  $L_t$ -norm:

**Lemma 3** *If  $p$  is covered by any  $L_t$ -half disk intersecting the sweep line, then  $p \in R_t(p^{--}) \cup R_t(p^-) \cup R_t(p^+) \cup R_t(p^{++})$ .*

Therefore, an  $O(n \log n)$ -time 6-approximation algorithm for the UDC problem in the  $L_t$ -norm is obtained.

#### 4.2 $L_t$ for $1 \leq t \leq 2$

Assume  $1 \leq t \leq 2$ . As shown in Figure 5(b),  $R_2(p)$  can be covered by five  $L_1$ -unit disks. By Observation 3,  $R_t(p)$  is contained in  $R_2(p)$ . In addition, an  $L_1$ -unit disk is contained in an  $L_t$ -unit disk. Thus,  $R_t(p)$  can also be covered by five  $L_t$ -unit disks. Therefore, a modified version of Algorithm 1 gives an  $L_t$ -unit disk cover  $C$  for  $P$  such that  $|C| \leq 5|C_{opt}|$ . Lemma 2 can be extended to the  $L_1$ -norm as follows.

**Lemma 4** *In  $L_1$ -norm, if  $p$  is covered by any half-disk intersecting the sweep line, then  $p \in R_1(p^{--}) \cup R_1(p^-) \cup R_1(p^+) \cup R_1(p^{++})$ .*

**Proof.** The proof is by contradiction; and similar to the proof of Lemma 2. We skip the details. Consider  $D_1(p, 2)$  and  $D_1(q, 2)$ . Note that both  $p^+$  and  $p^{++}$  are outside  $D_1(p, 2) \cup D_1(q, 2)$ . See Figure 6(a). Therefore  $p^+$  and  $p^{++}$  lie in region  $Q = R - (D_1(p, 2) \cup D_1(q, 2))$ , where  $R$  is a unit square which has its bottom-right corner on  $p$ . As shown in Figure 6(a),  $Q$  (the blue region) can be covered by the  $L_1$ -unit disk  $S$ . Therefore, the  $L_1$ -distance between  $p^+$  and  $p^{++}$  is at most 2; which contradicts Observation 2.  $\square$

Since an  $L_t$ -unit disk contains an  $L_1$ -unit disk, Lemma 4 can be extended to the  $L_t$ -norm. Therefore, an  $O(n \log n)$ -time 5-approximation algorithm for the UDC problem in the  $L_t$ -norm is obtained.




Figure 6: (a) Illustration of Lemma 4. (b)  $R_\infty(p)$  which is covered by two  $L_\infty$ -unit-disks.

### 4.3 $L_\infty$ and $L_1$

Assume  $t = \infty$ . An  $L_\infty$ -unit disk is an axis-aligned square of side length 2. As shown in Figure 6(b),  $R_\infty(p)$  can be covered by two  $L_\infty$ -unit disks. Therefore, a modified version of Algorithm 1 gives an  $L_\infty$ -unit disk cover  $C$  for points in  $P$  such that  $|C| \leq 2|C_{opt}|$ . In addition, we have the following Lemma, which is stronger than Lemma 2.

**Lemma 5** *If  $p$  is covered by any  $L_\infty$ -half disk intersecting the sweep line, then  $p \in R_\infty(p^-) \cup R_\infty(p^+)$ .*

Therefore, a simple  $O(n \log n)$ -time 2-approximation algorithm for the UDC problem in the  $L_\infty$ -norm is obtained. Gonzalez [10] presented a faster  $O(n \log S)$ -time 2-approximation algorithm for this problem, where  $S$  is the size of an optimal solution.

The UDC problem in the  $L_1$ -norm can easily be reduced to a UDC problem in the  $L_\infty$ -norm by simply rotating the  $x$  and  $y$  axes by  $45^\circ$  around the origin, followed by scaling with  $\sqrt{2}/2$ . Therefore, a simple  $O(n \log n)$ -time 2-approximation algorithm for the UDC problem in  $L_1$  is obtained.

## 5 Conclusion

We considered the NP-hard problem of covering  $n$  given points in the plane with the minimum number of unit disks. We presented an easily implementable 4-approximation algorithm which runs in  $O(n \log n)$ -time and  $O(n)$ -space. The presented algorithm is faster than previous algorithms having a similar approximation ratio. It is interesting that the most time consuming step of the algorithm is sorting and maintaining a BST.

We extended the algorithm to other  $L_t$ -norms. As a result we obtained  $O(n \log n)$ -time algorithms; a 2-approximation for  $t \in \{1, \infty\}$ , a 6-approximation for  $t > 2$ , and a 5-approximation for  $1 < t < 2$ .

The natural problem is to reduce the approximation ratio, while not increasing the running time.

Another open problem is to extend this algorithm to higher dimensions. In three dimensions, a ball of radius 2 can be covered by 21 unit-balls [1]. Therefore, Algorithm 1 is a 21-approximation for the UDC problem in  $\mathbb{R}^3$ . In order to check if  $d(p, I) > 2$ , it is sufficient to check if the ball of radius 2 which is centered at  $p$  does not contain any point of  $I$ . A ball emptiness query in  $\mathbb{R}^3$  can be transformed to a half-space emptiness query in  $\mathbb{R}^4$  by projecting the points of  $P$  to the paraboloid  $x_4 = x_1^2 + x_2^2 + x_3^2$ . Chan [5] presented a linear-size data structure which can be constructed in  $O(n \log n)$ -time that answers half-space emptiness queries in  $\mathbb{R}^4$  in  $O(\sqrt{n})$ -time. Based on the techniques of Bentley and Saxe [3], this gives an insertion-only dynamic data structure which supports insertions and half-space emptiness

queries in  $\mathbb{R}^4$  in  $O(\sqrt{n} \log n)$ -amortized time. Therefore, an  $O(n\sqrt{n} \log n)$ -time 21-approximation algorithm for the UDC problem in  $\mathbb{R}^3$  is obtained.

However, we believe that a half-ball of radius 2 can be covered by 14 unit-balls; which would imply an approximation ratio of 14.

## References

- [1] Covering a unit ball with balls half the radius. <http://www.mathoverflow.net/questions/98007/covering-a-unit-ball-with-balls-half-the-radius>.
- [2] R. Acharyya, M. Basappa, and G. K. Das. Unit disk cover problem in 2D. In *Proceedings of 13th Int. Conf. in Comput. Sci. and its App.-ICCSA*, pages 73–85, 2013.
- [3] J. L. Bentley and J. B. Saxe. Decomposable searching problems. I. Static-to-dynamic transformation. *J. Algorithms*, 1(4):301–358, 1980.
- [4] H. Brönnimann and M. T. Goodrich. Almost optimal set covers in finite VC-dimension. *Discrete & Computational Geometry*, 14(4):463–479, 1995.
- [5] T. M. Chan. Optimal partition trees. *Discrete & Computational Geometry*, 47(4):661–690, 2012.
- [6] M. De, G. K. Das, and S. C. Nandy. Approximation algorithms for the discrete piercing set problem for unit disks. In *Proceedings of the 23rd Annual Canadian Conf. on Comput. Geom.*, 2011.
- [7] R. J. Fowler, M. Paterson, and S. L. Tanimoto. Optimal packing and covering in the plane are NP-complete. *Inf. Process. Lett.*, 12(3), 1981.
- [8] M. Franceschetti, M. Cook, and J. Bruck. A geometric theorem for approximate disk covering algorithms. Technical report, 2001.
- [9] B. Fu, Z. Chen, and M. Abdelguerfi. An almost linear time 2.8334-approximation algorithm for the disc covering problem. In *Proceedings of 3rd International Conference of Algorithmic Aspects in Information and Management*, pages 317–326, 2007.
- [10] T. F. Gonzalez. Covering a set of points in multidimensional space. *Inf. Process. Lett.*, 40(4):181–188, 1991.
- [11] D. S. Hochbaum and W. Maass. Approximation schemes for covering and packing problems in image processing and VLSI. *J. ACM*, 32(1):130–136, 1985.
- [12] P. Liu and D. Lu. A fast 25/6-approximation for the minimum unit disk cover problem. *CoRR*, abs/1406.3838, 2014.